



## Appendix B - Recommended Modifications to the HTS

2710.20

[Petroleum oils and oils obtained...:]

Petroleum oils and oils obtained from bituminous minerals (other than crude) and preparations not elsewhere specified or included containing by weight 70 percent or more of petroleum oils or of oils obtained from bituminous minerals, these oils being the basic constituents of the preparations, **containing biodiesel**, other than waste oils:

2710.20.05

Distillate and residual fuel oils (including blended fuel oils):

Testing under 25 degrees A.P.I. . . . . .

5.25¢/bbl

Free (A+,AU,BH, CA,CL,D,IL,J+,JO, MA,MX,OM,P,PE, R,SG)

21¢/bbl

*Having a Saybolt Universal viscosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils):*

05

*Containing not more than 500 ppm of sulfur*

15

*Containing more than 500 ppm of sulfur  
Having a Saybolt Universal viscosity at 37.8°C of more than 125 seconds (heavy fuel oils):*

25

*Fuel oil No. 5*

30

*Fuel oil No. 6*

35

*Other*

50

*Other*

## Appendix B - Recommended Modifications to the HTS

	<p>[Petroleum oils and oils obtained...:]          [Petroleum oils and oils...:]          Distillate and residual...:]          Testing 25 degrees          A.P.I. or more. . . . .</p>	<p>10.5¢/bbl</p>	<p>Free (A+,AU,BH,          CA,CL,D,IL,J+,JO,          MX,OM,P,PE,          R,SG)          2.3¢/bbl (MA)</p>	<p>21¢/bbl</p>
	<p><i>Having a Saybolt          Universal viscosity          at 37.8° C of less          than 45 seconds          (light fuel oils):          Fuel oils Nos. 2          and 3:</i></p>			
02	<p><i>Diesel oil:          Contain-          ing not          more          than 15          ppm of          sulfur</i></p>			
03	<p><i>Contain-          ing more          than 15          ppm but          not more          than          500 ppm          of sulfur</i></p>			
04	<p><i>Contain-          ing more          than          500 ppm          of sulfur</i></p>			
05	<p><i>Other:          Contain-          ing not          more          than          15 ppm          of sulfur</i></p>			
07	<p><i>Contain-          ing more          than          15 ppm          but not          more          than 500          ppm of          sulfur</i></p>			

## Appendix B - Recommended Modifications to the HTS

	<p>[Petroleum oils and oils obtained...:]          [Petroleum oils and oils...:]          [Distillate and residual...:]          [Testing 25 degrees...:]            [Having a Saybolt...:]              [Fuel oils...:]                [Other:]</p>
08	<p style="padding-left: 40px;">Containing more than 500 ppm of sulfur</p>
11	<p style="padding-left: 40px;">Containing not more than 15 ppm of sulfur</p>
13	<p style="padding-left: 40px;">Containing more than 15 ppm but not more than 500 ppm of sulfur</p>
14	<p style="padding-left: 40px;">Containing more than 500 ppm of sulfur</p>
15	<p style="padding-left: 40px;">Having a Saybolt Universal viscosity at 37.8°C of 45 seconds or more but not more than 125 seconds (No. 4-type fuel oils):          Containing not more than 500 ppm of sulfur</p>
25	<p style="padding-left: 40px;">Containing more than 500 ppm of sulfur</p>
50	<p style="padding-left: 40px;">Having a Saybolt Universal viscosity at 37.8°C of more than 125 seconds (heavy fuel oils)</p>

## Appendix B - Recommended Modifications to the HTS

	[Petroleum oils and oils obtained...:]				
	[Petroleum oils and oils...:]				
2710.20.15	Kerosene-type jet fuel. . . . .	52.5¢/bbl	Free (A+,AU,BH, CA,CL,D,IL,J+,JO, MA,MX,OM,P,PE, R,SG)	\$1.05/bbl	
	Kerosene (except kerosene-type jet fuel):				
2710.20.21	Motor fuel. . . . .	52.5¢/bbl	Free (A+,AU,BH, CA,CL,D,IL,J+,JO, MA,MX,OM,P,PE, R,SG)	\$1.05/bbl	
2710.20.22	Motor fuel blending stock. . . . .	52.5¢/bbl	Free (A+,AU,BH, CA,CL,D,IL,J+,JO, MA,MX,OM,P,PE, R,SG)	\$1.05/bbl	
2710.20.23	Kerosene (except motor fuel or motor fuel blending stock). . . . .	10.5¢/bbl	Free (A+,AU,BH, CA,CL,D,IL,J+,JO, MA,MX,OM,P,PE, R,SG)	21¢/bbl"	

(b) Conforming change: Additional U.S. Note 3 to chapter 27 is modified by deleting the expression "2710.11.15" and inserting "2710.12.15" in lieu thereof.

(c) Conforming changes: Additional U.S. Note 4 to chapter 27 is modified by--

(i) deleting the expression "2710.11.18 and 2710.19.22" and inserting "2710.12.18, 2710.19.25 and 2710.20.22" in lieu thereof; and

(ii) deleting the expression "2710.11.25" and inserting "2710.12.25" in lieu thereof.

(d) Conforming change: Additional U.S. Note 5 to chapter 27 is modified by deleting the expression "2710.11.45" and inserting "2710.12.45" in lieu thereof.

28-1. The following new subheading note 1 to chapter 28 is inserted, following note 8 to that chapter:

"Subheading Note

1. For the purposes of subheading 2852.10, the expression "chemically defined" means all organic or inorganic compounds of mercury meeting the requirements of paragraphs (a) to (e) of Note 1 to Chapter 28 or paragraphs (a) to (h) of Note 1 to Chapter 29."

28-2. Heading 2852 and subheadings 2852.00.10 and 2852.00.90 are superseded by the following:

"2852	Inorganic or organic compounds of mercury, whether or not chemically defined, excluding amalgams:
2852.10	Chemically defined: